


Portable Panel Board I-Line Flex

600V, 480Y/277V, 480V, 120V/240V, 208Y/120V
600-1200-AMP Main Lug



I-Line Flex Features:

Flexible power distribution engineered for adaptability, configuration, and redeployment.

- NEMA 3R
- SQD I-Line 63in breaker interior
- Powder-coated white aluminum enclosure with double doors and front-viewing window
- ¼ turn enclosure knobs with lockout / tagout capability
- Rugged steel cage frame with bidirectional forklift pockets and lifting eyes
- Six side panels with Series 16 camlock connectors
- Two input power connections: Rear camlock or bottom feed

Customizations:


- Customize with your company's brand colors and logo
- Alternative manufacturers interiors
- Breaker fill may be included
- Alternative receptacles available

Market Applications:


- Rental
- Entertainment
- Construction
- Shipyards




Unique Features for I-Line Flex:



Six removable gland plates offer flexibility on receptacle configurations for custom applications



Two power input options: camlock or hardwire



Viewing window for visual check of breakers without opening the enclosure

Portable Panel Board I-Line Flex

600V, 480Y/277V, 480V, 120V/240V, 208Y/120V
400 – 800 Amps Main Lug



I-Line Flex Features:

Flexible power distribution engineered for adaptability, configuration, and redeployment.

- NEMA 3R
- SQD I-Line 27in breaker interior
- Powder-coated white aluminum enclosure with double doors and front-viewing window
- ¼ turn enclosure knobs with lockout / tagout capability
- Rugged steel cage frame with forktube pockets and lifting eyes
- Four side panels with Series 16 camlock connectors
- One input power connection: rear camlock

Customizations:


- Customize with your company's brand colors and logo
- Alternative manufacturers interiors
- Breaker fill may be included
- Alternative receptacles available

Market Applications:

- Rental
- Entertainment
- Construction
- Shipyards




Unique Features for I-Line Flex:



Four removable gland plates offer flexibility on receptacle configurations for custom applications



Rear camlock inputs




Viewing window for visual check of breakers without opening the enclosure

Portable Panel Board - I-Line Flex Selection Guide:


Part Numbers	Amps	Voltage	Breaker Inches	I-Line Interior	Output
Flex Line: Double Door with viewing window, white, 27 inches of breaker space					
PPB-400A-I27-3PH-600-1-FLEX	400	600V and lower	27"	HCJ14484	(4) Camlock panels
PPB-600A-I27-3PH-600-1-FLEX	600	600V and lower	27"	HCJ14486	(4) Camlock panels
PPB-800A-I27-3PH-600-1-FLEX	800	600V and lower	27"	HCJ14488	(4) Camlock panels
Flex Line: Double Door with viewing window, white, 63 inches of breaker space					
PPB-600A-I63-3PH-600-1-FLEX	600	600V and lower	63"	HCP32686N	(6) Camlock panels
PPB-800A-I63-3PH-600-1-FLEX	800	600V and lower	63"	HCP32688N	(6) Camlock panels
PPB-1200A-I63-3PH-600-1-FLEX	1200	600V and lower	63"	HCP326812N	(6) Camlock panels

Portable Panel Board - I-Line Flex Product Dimensions


27 in. Interior




REAR VIEW



RIGHT VIEW




FRONT VIEW




LEFT VIEW


63 in. Interior




REAR VIEW



RIGHT VIEW



FRONT VIEW



LEFT VIEW

Portable Panel Board I-Line Core

600V, 480Y/277V, 480V, 120V/240V, 208Y/120V
400 – 800 Amps Main Circuit Breaker



I-Line Core Features:

Essential power distribution with proven reliability and an economical design.

- NEMA 3R
- ¼ turn enclosure knobs with lockout / tagout capability
- Rugged steel cage frame with bidirectional forktube pockets and lifting eyes
- Square D factory enclosure
- Breakers are included with Main Circuit Breaker

Customization:

- Alternative I-Line interiors
- Factory enclosures or custom
- Breakers can be included
- Alternative receptacles available

Market Applications:

- Rental
- Entertainment
- Construction
- Shipyards



Unique Features for I-Line Core:



Includes breakers and room for expansion



Forktube pockets accessible from any side




Includes main circuit breaker

Portable Panel Board - I-Line Core Selection Guide:

Part Numbers	Amps	Main Lug or Main Breaker	Voltage	Breaker Inches	Enclosure	I-Line Interior	Input	Output	Breakers included
Core Line: I-Line Factory Grey Enclosure									
PPB-600A-MCB-I-3PH-600-1-CORE	600	Main Breaker, 65 kAIC	600V	36"	SQD grey factory	HCP18686M	Hardwire	Hardwire	(2) 400A 3P
PPB-800A-MCB-I-3PH-600-1-CORE	800	Main Breaker, 65 kAIC	600V	36"	SQD grey factory	HCP18688M	Hardwire	Hardwire	(2) 300A 3P (1) 600A 3P

Portable Panel Board - I-Line Core Product Dimensions



Related Products:



Camlock Cordsets



NM3 Box



Power Transformation Units