



**NOTES:**

- 1) YELLOW POWDER COAT FINISH STANDARD.
- 2) OVERALL SIZE 12.75H X 7.75W X 12 DIA.
- 3) ONE CONDUCTOR GROUNDED TO REEL.
- 4) INCLUDES RATCHET AND BALLSTOP.
- 5) 4 POSITION ADJUSTABLE CABLE GUIDE BRACKET.
- 6) NEMA 4 REEL CONSTRUCTION. SEE RATING PER PART ON SHT 2 OR 3
- 7) SEE SHEETS 2 & 3 FOR UL/CSA LISTINGS. UL FILE E59949, CSA FILE 258182.
- 8) APPROX WEIGHT 25 LBS LESS CABLE.
- 9) 6 FT FEEDER CORD INCLUDED ON SJ MODELS.
- 10) SLIP RING MAX RATING 600V 35A.
- 11) SUPPLIED WITH C8020550 MANUAL.
- 12) PACKED IN CARTON WITH C8020444 LABEL WITH UL/CSA MARK(S).

REV	REVISION DESCRIPTION	DATE	BY	CHKD	ECN NO.
A	RELEASE				
B	CHANGED RATING LABEL TO NEW LISTED LABEL	6/28/13	JMM		3544
C	ADDED 3RD SHEET	8/24/16	JRA		4172
D	UPDATED/CORRECTED CHARTS	9/20/16	JRA		4188
E	UPDATED 4123-50-BG LISTING & RATINGS	11/3/17	SAH		4345
F	ADDED BLACK & WHITE REELS TO DRAWING	10/7/19	FWK		4566

TOLERANCES
FRAC. $\pm 1/64$
.X $\pm .015$
.XX $\pm .010$
.XXX $\pm .005$
ANGLES $\pm 1^\circ$
UNLESS OTHERWISE SPECIFIED
DO NOT SCALE
B SIZE

DWG. APPROVALS	DATE	REV.
_____	_____	_____
_____	_____	_____
_____	_____	_____
DRAWN JMM	2/28/11	
CHK'D _____		

**ERICSON**  
**SAFETY IS OUR STANDARD**

ERICSON MANUFACTURING COMPANY  
 1-800-ERICSON • www.ericson.com

DWG. TITLE 4000 SERIES CABLE REEL FAMILY DRAWING		
SCALE 1=1	PROJ NO. --/--	SHEET 1 OF 3
DWG. UNIT NO. 4000 SERIES FAMILY	REV F	

RESTRICTED THIS PRINT IS PROPRIETARY AND CONFIDENTIAL AND MUST NOT BE COPIED OR ITS CONTENTS REVEALED TO UNAUTHORIZED PERSONNEL WITHOUT WRITTEN CONSENT OF ERICSON MANUFACTURING CO. IT IS TO BE RETURNED TO ERICSON MFG. UPON REQUEST.

Table with columns: CATALOG #, UL CSA DESCRIPTION, VOLTS, AMPS, WATTS, CORD TYPE, PRIMARY, SECONDARY, NEMA, LENGTH, WIRE GAGE, UPC. Contains detailed specifications for various cable reel models.

COLOR NOTES:
1) STANDARD REELS ARE YELLOW POWDER COAT WITH BLACK PLASTIC REEL PARTS, BLACK CABLE, AND ERICSON STANDARD COLOR ACCESSORIES (IF EQUIPPED).
2) REELS WITH -BB SUFFIX ARE BLACK POWDER COATED REELS WITH ALL BLACK PLASTIC PARTS, BLACK CABLE, AND BLACK ACCESSORIES (IF EQUIPPED).
3) REELS WITH -WW SUFFIX ARE WHITE POWDER COATED REELS WITH ALL BLACK PLASTIC PARTS, WHITE CABLE, AND BLACK ACCESSORIES (IF EQUIPPED)
4) ALL POWER INLET CORDS AND/OR MOLDED PLUGS ARE BLACK.

Revision table with columns: REV, REVISION DESCRIPTION, DATE, BY, CHKD, ECH NO., TOLERANCES, DWG. APPROVALS, DATE, REV., ERICSON logo, DWG. TITLE (4000 SERIES CABLE REEL FAMILY DRAWING), SCALE, PROJ NO., SHEET 2 OF 3, DWG. UNIT NO. (4000 SERIES FAMILY), REV (F).

CATALOG #	UL	CSA DESCRIPTION	VOLTS	AMPS	WATTS	CORD TYPE	PRIMARY	SECONDARY	NEMA	LENGTH	WIRE GAGE	UPC
4143-30-B	UL	NO REEL, 30 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC (2) NEMA 5-15 DPLX, NEMA 2	125	15	1875	SJ EOW	MLD 5-15	(2) NEMA 5-15 DPLX	2	30	14/3	782862849774
4143-30-BG	UL	CSA REEL, 30 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX, NEMA 2	125	20	2500	SJ EOW	MLD 5-15	BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX	2	30	14/3	782862849781
4143-30-HS	NO	NO REEL, 30 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC 744-RS HANDLAMP, NEMA 2 **NON UL**	125	0.8	100	SJ EOW	MLD 5-15	744-RS HANDLAMP	2	30	14/3	782862849835
4143-30-HSS	UL	CSA REEL, 30 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC 944-RS HANDLAMP, NEMA 2	125	12	1500	SJ EOW	MLD 5-15	944-RS HANDLAMP	2	30	14/3	782862849798
4143-30SO	UL	CSA REEL, 30 FT 14/3 SOOW /w 6FT PRI BLUNT, SEC BLUNT, NEMA 4	600	15	9000	SOOW	BLUNT	BLUNT	4	30	14/3	782862818558
4143-30SO-BG	NO	NO REEL, 30 FT 14/3 SOOW /w 6FT PRI BLUNT, SEC BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX, NEMA 2 **NON UL**	125	15	1875	SOOW	BLUNT	BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX	2	30	14/3	782862900932
4143-40	UL	CSA REEL, 40 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC BLUNT, NEMA 2	125	15	1875	SJ EOW	MLD 5-15	BLUNT	2	40	14/3	782862818596
4143-40-1610	UL	CSA REEL, 40 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC NEMA 5-15C , NEMA 2	125	15	1875	SJ EOW	MLD 5-15	NEMA 5-15C	2	40	14/3	782862818626
4143-40-B	UL	NO REEL, 40 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC 6000 BOX 5-15 REC.	125	15	1875	SJ EOW	MLD 5-15	BOX w/(2) 5-15 DPLX	2	40	14/3	782862818619
4143-40-BG	UL	CSA REEL, 40 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX, NEMA 2	125	15	1875	SJ EOW	MLD 5-15	BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX	2	40	14/3	782862818688
4143-40-HS	NO	NO REEL, 40 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC 744-RS HANDLAMP, NEMA 2 **NON UL**	125	0.8	100	SJ EOW	MLD 5-15	744-RS HANDLAMP	2	40	14/3	782862900680
4143-40-HSS	NO	NO REEL, 40 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC 944-RS HANDLAMP, NEMA 2 **NON UL**	125	12	1500	SJ EOW	MLD 5-15	944-RS HANDLAMP	2	40	14/3	782862900376
4143-40SO	UL	CSA REEL, 40 FT 14/3 SOOW /w 6FT PRI BLUNT, SEC BLUNT, NEMA 4	600	15	9000	SOOW	BLUNT	BLUNT	4	40	14/3	782862818756
4143-50	UL	CSA REEL, 50 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC BLUNT, NEMA 2	125	15	1875	SJ EOW	MLD 5-15	BLUNT	2	50	14/3	782862818718
4143-50-1610	UL	CSA REEL, 50 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC NEMA 5-15C , NEMA 2	125	15	1875	SJ EOW	MLD 5-15	NEMA 5-15C	2	50	14/3	782862818763
4143-50-B	UL	NO REEL 50FT 14/3 SJOW 6000 BOX (2) 515 DUPLEX RECEPTACLES	125	15	1875	SJOW	MLD 5-15	BOX w/(2) NEMA 5-15 DPLX	2	50	12/3	782862818794
4143-50-BG	UL	CSA REEL, 50 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX, NEMA 2	125	15	1875	SJ EOW	MLD 5-15	BOX w/(1) 5-15 DPLX+ (1) 5-15 GFCl DPLX	2	50	14/3	782862818657
4143-50-HS	UL	CSA REEL, 50 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC 744-RS HANDLAMP, NEMA 2	125	0.8	100	SJ EOW	MLD 5-15	744-RS HANDLAMP	2	50	14/3	782862651230
4143-50-HSS	UL	CSA REEL, 50 FT 14/3 SJ EOW /w 6FT PRI MLD 5-15, SEC 944-RS HANDLAMP, NEMA 2	125	12	1500	SJ EOW	MLD 5-15	944-RS HANDLAMP	2	50	14/3	782862849804
4144-35	UL	CSA REEL, 35 FT 14/4 SJ EOW /w 6FT PRI BLUNT, SEC BLUNT, NEMA 4	300	12	3600	SJ EOW	BLUNT	BLUNT	4	35	14/4	782862818503
4163-25	UL	CSA REEL, 25 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC BLUNT, NEMA 2	125	10	1250	SOOW	MLD 5-15	BLUNT	2	25	16/3	782862818565
4163-25-B	UL	NO REEL, 25FT 16/3 SOOW w/ PRI 6FT 14/3 SJ MLD5-15 & 6000 BOX	125	15	1875	SOOW	BLUNT	BOX w/(2) NEMA 5-15 DPLX	2	25	16/3	-
4163-25-HI	UL	CSA REEL, 25 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC 744-RI HANDLAMP, NEMA 2	125	0.8	100	SOOW	BLUNT	744-RI HANDLAMP	2	25	16/3	782862902332
4163-25-HS	UL	CSA REEL, 25 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC 744-RS HANDLAMP, NEMA 2	125	0.8	100	SOOW	BLUNT	744-RS HANDLAMP	2	25	16/3	782862849835
4163-25-HSS	UL	CSA REEL, 25 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC 944-RS HANDLAMP, NEMA 2	125	12	1500	SOOW	BLUNT	944-RS HANDLAMP	2	25	16/3	782862902356
4163-25SO	UL	CSA REEL, 25 FT 16/3 SOOW /w 6FT 16/3 SOOW BLUNT PRI, SEC BLUNT, NEMA 4	600	10	6000	SOOW	BLUNT	BLUNT	4	25	16/3	782862818534
4163-25SO-HS	NO	NO REEL, 25 FT 16/3 SOOW /w 6FT BLUNT 16/3 SOOW PRI, SEC 744-RS HANDLAMP, NEMA 2 **NON UL**	125	0.8	100	SOOW	BLUNT	744-RS HANDLAMP	2	25	16/3	782862902349
4163-35	UL	CSA REEL, 35 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC BLUNT, NEMA 4	125	10	1250	SOOW	BLUNT	BLUNT	4	35	16/3	782862818695
4163-35-HI	UL	CSA REEL, 35 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC 744-RI HANDLAMP, NEMA 2	125	0.8	100	SOOW	BLUNT	744-RI HANDLAMP	2	35	16/3	782862902363
4163-35-HS	UL	CSA REEL, 35 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC 744-RS HANDLAMP, NEMA 2	125	0.8	100	SOOW	BLUNT	744-RS HANDLAMP	2	35	16/3	782862818817
4163-35-HSS	NO	NO REEL, 35 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC 944-RS HANDLAMP, NEMA 2 **NON UL**	125	12	1500	SOOW	BLUNT	944-RS HANDLAMP	2	35	16/3	782862902370
4163-35SO	UL	CSA REEL, 35 FT 16/3 SOOW /w 6FT BLUNT 16/3 SOOW PRI, SEC BLUNT, NEMA 4	600	10	6000	SOOW	BLUNT	BLUNT	4	35	16/3	782862818671
4163-35SO-HS	NO	NO REEL, 35 FT 16/3 SOOW /w 6FT 16/3 SOOW BLUNT PRI, SEC 744-RS HANDLAMP, NEMA 2 **NON UL**	125	0.8	100	SOOW	BLUNT	744-RS HANDLAMP	2	35	16/3	782862899335
4163-50	UL	CSA REEL, 50 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC BLUNT, NEMA 2	125	10	1250	SOOW	BLUNT	BLUNT	4	50	16/3	782862818824
4163-50-1610CG	NO	NO REEL, 50 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC NEMA 5-15C , NEMA 2 **NON UL**	125	10	1250	SOOW	BLUNT	NEMA 5-15C	2	50	16/3	782862902394
4163-50-B	UL	NO REEL, 50 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC BOX w/(2) NEMA 5-15 DPLX, NEMA 2	125	10	1250	SOOW	BLUNT	BOX w/(2) NEMA 5-15 DPLX	2	50	16/3	782862902387
4163-50-HS	UL	CSA REEL, 50 FT 16/3 SOOW /w PRI 6FT 14/3 SJ MLD5-15, SEC 744-RS HANDLAMP, NEMA 2	125	0.8	100	SOOW	BLUNT	744-RS HANDLAMP	2	50	16/3	782862818770
4163-50-HSS	UL	CSA REEL 50FT 16/3 SOOW w/ PRI 6FT 14/3 SJ MLD5-15 & 944-RS HAND LAMP	125	10	1250	SOOW	BLUNT	944-RS HANDLAMP	2	50	16/3	-
4163-50SO	UL	CSA REEL, 50 FT 16/3 SOOW /w 6FT 16/3 SOOW PRI BLUNT, SEC BLUNT, NEMA 4	600	10	6000	SOOW	BLUNT	BLUNT	4	50	16/3	782862818640
4164-35	UL	CSA REEL, 35 FT 16/4 SOOW /w 6FT 16/4 SOOW PRI BLUNT, SEC BLUNT, NEMA 4	600	8	4800	SOOW	BLUNT	BLUNT	4	35	16/4	782862818831
4164-35SO	UL	CSA REEL, 35 FT 16/4 SOOW /w 6FT 16/4 SOOW PRI BLUNT, SEC BLUNT, NEMA 4	600	8	4800	SOOW	BLUNT	BLUNT	4	35	16/4	782862818732
4164-50	UL	CSA REEL, 50 FT 16/4 SOOW /w 6FT 16/4 SOOW PRI BLUNT, SEC BLUNT, NEMA 4	600	8	4800	SOOW	BLUNT	BLUNT	4	50	16/4	782862818589
4164-50SO	UL	CSA REEL, 50 FT 16/4 SOOW /w 6FT 16/4 PRI BLUNT, SEC BLUNT, NEMA 4	600	8	4800	SOOW	BLUNT	BLUNT	4	50	16/4	782862818633

REV	REVISION DESCRIPTION	DATE	BY	CHKD	ECH NO.
	SEE FIRST SHEET				

**TOLERANCES**  
 FRAC. ± 1/64  
 .X ± .015  
 .XX ± .010  
 .XXX ± .005  
 ANGLES ± 1°  
UNLESS OTHERWISE SPECIFIED  
**DO NOT SCALE**  
 B SIZE

DWG. APPROVALS	DATE	REV.

DRAWN JMM DATE 2/28/11  
 CHK'D \_\_\_\_\_



**ERICSON**  
 SAFETY IS OUR STANDARD

**ERICSON MANUFACTURING COMPANY**  
 1-800-ERICSON • www.ericson.com

DWG. TITLE <b>4000 SERIES CABLE REEL</b> FAMILY DRAWING		
SCALE NTS	PROJ NO. --/--	SHEET 3 OF 3
DWG. UNIT NO. <b>4000 SERIES FAMILY</b>		REV <b>F</b>